

Box Feeder

- The box feeder is used for rationing the needed materials which have been crushed and aged, the machine is key equipment of the whole production line, stores and feeds the materials by loader continuously, it is mainly suitable for the clay and soft clay materials of high moisture content.



For feeding and storage materials continuously

On-site Photo




The dam-board at the mouth of feeder can ensure the feeding capacity in unit time.



The driving roller drives the belt to feeding materials continuously.

Primary structure of equipment: electromotor, reduction box, driving roller, driven roller, conveyor belt.



Equipment advantages: The machine is easy to be installed and works reliably with small power consumption; it can also change and control the materials feeding quantity. It can feed qualified materials and fuel to other equipment for treating and processing uniformity and also can feed the materials and fuel in certain proportion.

Equipment parameters:

Model	Production Capacity (m ³ /h)	Equipped Power (KW)	Dimension (mm)
XGD60×400	10-35	5.5	4400*1490*1320
XGD70×450	10-45	7.5	5150*1500*1430
XGD80×450	10-45	7.5	5170*1700*1350

IBRICK supply multiple types of box feeder suitable for your materials and production capacity, our products apply in Russia, Kazakhstan, Uzbekistan, India, Bangladesh, Egypt, Angola, Mexico, Chile, Peru, Brazil and other countries.

Shaanxi Ibrick Technology Co., Ltd

Add: Rm-B21811, Fortune Plaza, High-Tech

3rd Rd, High-Tech Zone, Xi'an, China

Tel: 0086-29-63364175

Fax: 0086-29-63364165

Mob: 0086 15991710216

E-mail: info@ibrick.cc